注意:考試開始鈴響前,不得翻閱試題,並不得書寫、畫記、作答。

國立清華大學 110 學年度碩士班考試入學試題

系所班組別:生醫工程與環境科學系

丙組(應用化學組)

科目代碼:2801

考試科目:有機化學

-作答注意事項-

- 1. 請核對答案卷(卡)上之准考證號、科目名稱是否正確。
- 2. 考試開始後,請於作答前先翻閱整份試題,是否有污損或試題印刷不 清,得舉手請監試人員處理,但不得要求解釋題意。
- 3. 考生限在答案卷上標記 由此開始作答」區內作答,且不可書寫姓 名、准考證號或與作答無關之其他文字或符號。
- 4. 答案卷用盡不得要求加頁。
- 5. 答案卷可用任何書寫工具作答,惟為方便閱卷辨識,請儘量使用藍色或黑色書寫;答案卡限用 2B 鉛筆畫記;如畫記不清(含未依範例畫記)致光學閱讀機無法辨識答案者,其後果一律由考生自行負責。
- 6. 其他應考規則、違規處理及扣分方式,請自行詳閱准考證明上「國立 清華大學試場規則及違規處理辦法」,無法因本試題封面作答注意事項 中未列明而稱未知悉。

系所班組別:生醫工程與環境科學系碩士班 丙組(應用化學組) 考試科目(代碼):有機化學(2801)

共_5_頁,第_1_頁 *請在【答案卡】作答

- `	單選題	(每題	4分共	100	分)
-----	-----	-----	-----	-----	----

- 1. The simplest amino acid is
 - (A) Alanine (B) Serine (C) Glycine (D) Valine
- 2. In a Merrifiled solid phase peptide synthesis, if there are 5 steps and each goes in 90% yield, what is the overall yield?
 - (A) 18% (B) 45% (C) 59% (D) 90%
- 3. Esters and amides are the most easily made by nucleophilic acyl substitution reactions on:
 - (A) alcohols (B) acide anhydrides (C) carboxylates (D) carboxylic acids (E) acid chlorides
- 4. An organic compound A is formed by the reaction of ethylmagnesium iodide with a substance B, followed by the treatment with dilute aqueous acid. Compared A does not react with pyridinium chlorochromate in dichloromethane. Which one the following is a possible candidate for B?
 - (A) CH₃CHO (B) CH₃CH₂OH (C) CH₃CH₂COCH₃ (D) HCO₂CH₃
- 5. Vulcanization is a process to strengthen natural rubber by crosslinking polymer chains with what element?
 - (A) sodium (B) titanium (C) sulfer (D) phosphorus (E) aluminum
- 6. Epoxide undergoes ring-opening reaction with water to generate
 - (A) glycol (B) glyoxal (C) ester alcohol (D) none of above


7. For isobutanol:

- (A) it is a primary alcohol
- (B) it is a constitutional isomer of cyclobutanol
- (C) it shows a characteristics absorption at 1720 cm⁻¹ in IR spectrum
- (D) it shows four carbon signals in the ¹³C NMR spectrum.

系所班組別:生醫工程與環境科學系碩士班 丙組(應用化學組) 考試科目(代碼):有機化學(2801)

共_5_頁,第_2_頁 *請在【答案卡】作答

8. Which one of following structures has the lowest pKa?



- 9. Which description about the frontier molecular orbital theory is False?
 - (A) HOMO is an acronym for highest occupied molecular orbital.
 - (B) Antibonding molecular orbitals are higher in energy than the isolated atomic orbitals from which they made.
 - (C) The LUMO of 1,3-butadiene has one node.
 - (D) The HOMO of allyl anion has one node.
 - (E) The thermal [2+2] cycloaddition of two ethylenes to give cylobutane is a symmetry-forbidden reaction.
- 10. Which of following addition reactions of alkenes occur specifically in an anti-fashion:
 - (A) Dihydroxylation using OsO4, H2O2
 - (B) Addition of Br2
 - (C) Hydroboration-oxidation
 - (D) Hydrogenation using H2-Pt
- 11. The conversion of 2-pentanone to butanoic acid is best accomplished with:
 - (A) I2, NaOH
 - (B) NaBH₄
 - (C) CrO₃
- (D) Ag₂O

系所班組別:生醫工程與環境科學系碩士班 丙組(應用化學組)

考試科目 (代碼): 有機化學(2801)

共_5_頁,第_3_頁 *請在【答案卡】作答

- 12. A molecule has three degrees of unsaturation. In this molecule there would be
 - (A) three rings
 - (B) three double bonds
 - (C) two rings and one double bond
 - (D) one ring and two double bonds
 - (E) any of the above
- 13. What is the IUPAC name of the following compound?

- (A) (E)-3-methylpent-3-ene
- (B) (Z)-3-methylpent-3-ene
- (C) (E)-3-methylpent-2-ene
- (D) (Z)-3-methylpent-2-ene
- 14. Which pair listed below is a Lewis acid-base pari?
 - (A) 2,6-di-tert-butylpyridine + HCl
 - (B) BF_3 + ether
 - (C) Benzoic acid + NaOH
 - (D) tert-butyl chloride + benzene
 - (E) acetone + H₂SO₄
- 15. Which statement is correct for the reaction shown below?

1-chloro-2,4-dinitrobenzene + NaOH → 2,4-dinitrophenol

- (A) This reaction is an electrophilic aromatic substitution.
- (B) This reaction is a SN2 substitution.
- (C) This reaction is a nucleophilic aromatic substation.
- (D) Substituted benzyne is the reaction intermediate.

系所班組別:生醫工程與環境科學系碩士班 丙組(應用化學組) 考試科目(代碼):有機化學(2801)

考試科日(代码),有機化学(2001)
共_5_頁,第_4_頁 *請在【答案卡】作答
16. Assuming the ionization energy of a hydrogen atom is E, estimate the 4f orbital energy for
a Li2+ cation:
(A) 3E/4
(B) -3E/4
(C) 9E/16
(D) -9E/16
(E) E/4
17. Which of the following compounds is a suitable base to prepare ester enolate of ethyl
acetate?
(A) Lithium diisopropylamide
(B) Pyridine
(C) Diisopropyl amine

- 18. In a solution of aspartic acid (pKa=7.4) adjusted to a pH of 2.74,
 - (A) the ration of asparate to asparatic acid is 10 to 1.
 - (B) the ration of asparate to asparatic acid is 100 to 1.
 - (C) the ration of asparate to asparatic acid is 1000 to 1.
 - (D) the ration of asparate to asparatic acid is 1 to 10.
 - (E) the ration of asparate to asparatic acid is 1 to 100.
- 19. Addition of Br2 to (E)-hex-3-ene produces _____.
 - (A) A meso dibromide.

(D) Pyrrolidine

- (B) A mixture of enantiomeric dibromides which is optically active.
- (C) A mixture of enantiomeric dibromides which is optically inactive.
- (D) (Z)-3,4-dibromo-3-hexene.
- (E) (E)-3,4-dibromo-3-hexene.

系所班組別:生醫工程與環境科學系碩士班 丙組(應用化學組) 考試科目(代碼):有機化學(2801)

共_5_頁,第_5_頁 *請在【答案卡】作答

- 20. Which of the following compounds has the most negative heat of hydrogenation?
 - (A) 1,4-hexadiene (B) 1,5-hexadiene (C) 1,2-hexadiene (D) 1,3- hexadiene
 - (E) hex-1-ene
- 21. Which compounds is the most stable?
 - (A) 1,4-pentadiene (B) trans-1,3-pentadiene (C) trans-1,4-pentadiene
 - (D) cis-1,4-pentadiene
- 22. The Diels-Alder reaction is a concerted reaction; this means:
 - (A) A mixture of endo and exo products is formed.
 - (B) All bond making and bond breaking occurs simultaneously.
 - (C) The products contain rings.
 - (D) The reaction follows Markovnikov's rule.
 - (E) The reaction is highly endothermic.
- 23. Which of the statements below correctly describes an achiral molecular?
 - (A) The molecule has a non-superimposable mirror image.
 - (B) The molecule exhibits optical activity when it interacts with plane-polarized light.
 - (C) The molecule has an enantiomer
 - (D) The molecule might be meso form
- 24. The reaction conditions to carry out the production of cyclopentene using bromocycylpentane as the starting material would be:
 - (A) KOH, CH3CH3OH
 - (B) H₂SO₄, THF
 - (C) H₂O₂, OH-
 - (D) Hg(OAc)2, H2O
- 25. Which is the reaction major product when benzene reacts with propene in the presence of HF?
 - (A) propylbenzene (B) iso propylbenzene (C) 3- propylbenzene (D)1- propylbenzene