注意:考試開始鈴響前,不得翻閱試題,並不得書寫、畫記、作答。

國立清華大學 111 學年度碩士班考試入學試題

系所班組別:生命科學院

丁組(醫學生物科技學程)

科目代碼:0706

考試科目:有機化學

一作答注意事項-

- 1. 請核對答案卷(卡)上之准考證號、科目名稱是否正確。
- 考試開始後,請於作答前先翻閱整份試題,是否有污損或試題印刷不清,得舉手請監試人員處理,但不得要求解釋題意。
- 3. 考生限在答案卷上標記 **▶** 由此開始作答」區內作答,且不可書寫姓 名、准考證號或與作答無關之其他文字或符號。
- 4. 答案卷用盡不得要求加頁。
- 5. 答案卷可用任何書寫工具作答,惟為方便閱卷辨識,請儘量使用藍色或黑色書寫;答案卡限用 2B 鉛筆畫記;如畫記不清(含未依範例畫記)致光學閱讀機無法辨識答案者,其後果一律由考生自行負責。
- 6. 其他應考規則、違規處理及扣分方式,請自行詳閱准考證明上「國立 清華大學試場規則及違規處理辦法」,無法因本試題封面作答注意事項 中未列明而稱未知悉。

系所班組別:生命科學院乙組、丁組

考試科目 (代碼): 有機化學(0502、0706)

共_11_頁,第_1_頁 *請在【答案卷】作答

Part 1 簡答題 (70%)

1. Does each of the following pairs of structures show the same molecule or different molecules? (6%)

- 2. Draw the most stable conformation of each of the cis and trans isomers of the following: (6%)
- (a) 3-phenylcyclohexanol
- (b) 1-bromo-4-chlorocyclohexane
- (c) 1-t-butyl-3-methylcyclohexane (d) 1-isopropyl-2-methylcyclohexane
- 3. Show how the following compound can be prepared from the given starting material. Draw the structure of the compound that is formed in each step of the synthesis. (6%)

4. Starting with benzene, outline a synthesis of each of the following: (12%)

a. b.
$$OCH_3$$
 Br
 $C.$ SO_3H
 DRO_2
 Br
 Br
 Br

系所班組別:生命科學院乙組、丁組

考試科目(代碼):有機化學(0502、0706)

共_11_頁,第_2_頁 *請在【答案卷】作答

5. Propose a mechanism for each of the following reactions: (6%)

6. Propose a mechanism to explain how dimethyl sulfoxide and oxalyl chloride react to form the dimethylchlorosulfonium ion used as the oxidizing agent in the Swern oxidation. (5%)

7. Histidine is a heterocyclic compound with three nitrogen atoms. (a) Which nitrogen is most apt to be protonated? (b) Which nitrogen is least apt to be protonated? (2% each).

8. Predict the products formed from the following reaction in terms of (a) regional regional region region region region (b) stereochemistry. (4%)

(c) How about the stereochemical outcome for the following example? (2%)

系所班組別:生命科學院乙組、丁組


考試科目(代碼):有機化學(0502、0706)


共_11_頁,第_3_頁 *請在【答案卷】作答

9. Phosgene (COCl₂) was used as a poison gas in World War I. What product would be formed from the reaction of phosgene with each of the following reagents? (6%)

a. one equivalent of methanol b. excess methanol c. excess propylamine d. excess water

- 10. Please use the molecular orbital to explain why the back-side attack rather than front-side attack is favored by the S_{N2} reaction. (5%)
- 11. An unknown compound, A, has the formula C₇H₁₄O. Elucidate the structure of A by scrutinizing its IR and H NMR spectra, shown below. (4%)





系所班組別:生命科學院乙組、丁組

考試科目(代碼):有機化學(0502、0706)

共_11_頁,第_4_頁 *請在【答案卷】作答

12. Provide the mechanism for the following formation of the explosive peroxide. (4%)

Part 2 單選題 (30%, 1.5% each)

1) The correct IUPAC name for the following compound is:

- A) 2-Bromo-4-methylenehexane
- B) 2-(2-Bromopropyl)-1-butene
- C) 4-Bromo-2-ethyl-1-pentene
- D) 2-Bromo-4-ethyl-1-pentene
- E) 2-Bromo-4-ethyl-4-pentene
- 2) Which structure represents (Z)-1,4-dichlorohex-3-en-1-yne?

E) None of these choices.

系所班組別:生命科學院乙組、丁組

考試科目(代碼):有機化學(0502、0706)

共_11_頁,第_5_頁

*請在【答案卷】作答

Which molecule would have the lowest heat of hydrogenation?



II

Ш



IV



A) I

Ι


B) II

C) III

D) IV


E) V

Which would be the major product of the following reaction sequence?



1. D₂, Pd/CaCO₃ quinoline

2. H₂, Ni



Enantiomers are:


- A) molecules that have a mirror image.
- B) molecules that have at least one stereogenic center.
- C) non-superposable molecules.
- D) non-superposable constitutional isomers.
- E) non-superposable molecules that are mirror images of each other.

系所班組別:生命科學院乙組、丁組


考試科目(代碼):有機化學(0502、0706)

共_11_頁,第_6_頁 *請在【答案卷】作答

6) How many stereogenic centers are in the following compound:



- A) 1
- B) 3
- C) 4
- D) 5
- E) none of these choice
- 7) Which molecule is achiral?




- A) I
- B) II
- C) III
- D) More than one of these choices.
- E) None of these choice
- What is the percent composition of a mixture of (S) -(+) -2-butanol, $[\alpha]_{25/D} = +13.52^{\circ}$, and(R)-(-) -2-butanol, $[\alpha]_{25/D} = -13.52^{\circ}$, with a specific rotation $[\alpha]_{25/D} = +6.76^{\circ}$?
 - A) 75%(R) 25%(S)
 - B) 25%(R) 75%(S)
 - C) 50%(R) 50%(S)
 - D) 67%(R) 33%(S)
 - E) 33%(R) 67%(S)

系所班組別:生命科學院乙組、丁組

考試科目 (代碼): 有機化學(0502、0706)

共_11_頁,第_7_頁 *請在【答案卷】作答

9) The molecules below are:



- A) constitutional isomers.
- B) enantiomers.
- C) diastereomers.
- D) identical.
- E) None of these choice
- 10) Which is a meso compound?
 - A) (2R,3R) -2,3-Dibromobutane
 - B) (2R,3S) -2,3-Dibromopentane
 - C) (2R,4R) -2,4-Dibromopentane
 - D) (2R,4S) -2,4-Dibromopentane
 - E) (2R,4S) -2,4-Dibromohexane
- 11) The most stable conformation of 2,3-dibromobutane, viewed through the C-2-C-3 bond:


A) I B) II C) III D) IV E) V

系所班組別:生命科學院乙組、丁組

考試科目 (代碼): 有機化學(0502、0706)

共 11 頁,第 8 頁 *請在【答案卷】作答

12) Consider the graph below, which is a plot of the relative energies of the various conformations of hexane, viewed through the C-2-C-3 bond. The conformations corresponding to the 60° and 300° are:



Angle of rotation

- A) eclipsed
- B) staggered and gauche
- C) staggered and anti
- D) more stable than the conformation at 180°
- E) none of these choices
- 13) What is the index of hydrogen deficiency (or degree of unsaturation) of a compound with the molecular formula of C14H14Cl4?
 - A) 3
 - B) 4
 - C) 5
 - D) 6
 - E) 7

系所班組別:生命科學院乙組、丁組

考試科目 (代碼): 有機化學(0502、0706)

共 11 頁,第 9 頁 *請在【答案卷】作答

14) What is/are the product(s) of the following acid-base mechanism?

A)
$$i\text{-Pr}$$
 OCH_3 $i\text{-Pr}$ OCH_3 $i\text{-Pr}$ OCH_3 OCH

- E) None of these choices.
- 15) Which of the following correctly lists the compounds in order of decreasing acidity?
 - A) H₂O > HC≡CH > NH₃ > CH₃CH₃
 - B) HC≡CH > H₂O > NH₃ > CH₃CH₃
 - C) CH₃CH₃ > HC≡CH > NH₃ > H₂O
 - D) CH₃CH₃ > HC≡CH > H₂O > NH₃
 - E) $H_2O > NH_3 > HC \equiv CH > CH_3CH_3$

系所班組別:生命科學院乙組、丁組


考試科目(代碼):有機化學(0502、0706)

共_11_頁,第_10_頁

*請在【答案卷】作答

- 16) Which base would not effectively deprotonate acetylene?
 - A) LiOCH₃
 - B) CH₃Li
 - C) CH3OCH2MgBr
 - D) KH
 - E) (CH₃)₂NLi
- 17) Which alkane is predicted to have the highest melting point of those shown?
 - A) n-butane
 - B) isobutane
 - C) n-pentane
 - D) isopentane
 - E) tert-pentane
- 18) Which of the following would have a trigonal planar (or triangular) structure?

- A) I, II, and IV
- B) II and IV
- C) IV
- D) II, IV, and V
- E) All of these choices.
- 19) An organic compound absorbs strongly in the IR at 1687 cm⁻¹. Its ¹H NMR spectrum consists of two signals, a singlet at 2.1 ppm and a multiplet centered at 7.1 ppm. Its mass spectrum shows significant peaks at m/z 120, m/z 105 and m/z 77. This information is consistent with which of the following structures?



系所班組別:生命科學院乙組、丁組

考試科目 (代碼): 有機化學(0502、0706)

共_11_頁,第_11_頁 *請在【答案卷】作答

- 20) An unsaturated product results from the reaction of cyclohexene with which of these?
 - A) Br2/CCl4 at 25°C
 - B) NBS/CCl4, ROOR
 - C) HCl, ROOR
 - D) HCl, no peroxides
 - E) More than one of these choices.