國立清華大學 105 學年度碩士班考試入學試題

系所班組別：生命科學院丙組

考試科目（代碼）：計算機概論(演算法與計算機數學)(0604)

1. Answer the following questions regarding to production systems.
   (a) (3%) What are the components of production systems?
   (b) (7%) In Tic-tac-toe(井字遊戲), give a search tree with 4 levels using breadth-first search

2. (5%) The halting problem is a decision problem which was proven incomputable by Alan Turning in 1936. Describe the halting problem in detail and its importance.

3. (5%) In computer science, time and space complexity are taken as functions to quantify programs or algorithms. Describe why we have to analyze time and space complexity

4. (2%) Here is a binary search tree:



   which number may be " * " ?
   (a) 38 (b) 46 (c) 55 (d) 87 (e) 92

5. (8%) In order to maintain the database integrity, the DBMS use the locking approach to prevent others from accessing data being used by a transaction. Two different locks, shared lock and exclusive lock, are employed. (a) Will the deadlock problem happen? Why or why not? Briefly explain it (you can use examples to illustrate). (b) How to resolve the deadlock problem if it occurs?

6. (10%) Answer the following questions regarding to Turing machines.

The following is a Turing machine. Write a program to change the 1001 on it to 0111. And your pointer must stop at the left * symbol when your program halts. Your program should start from the cell indicated by the arrow.



7. Look at the following two recursive algorithms. What are the purposes of these two algorithms? Elaborate the details as much as you can.

(a) (5%)

i. x and y are arrays.

ii. Initially set i=j=0.

```
Unknown(x,y,i,j) {
    if(x[i] == y[j]) {
       if(y[j+1] != null)
          Unknown(x,y,i+1,j+1);
       else return true;
     }
     if (x[i+1] == null) return false;
     else Unknown(x,y,i+1,j);
}
```

(b) (5%)

i. Initialize an m by n array c[i, j] = nil for all i, j.

ii. Set c[i, 0]=c[0,j]=0 for all i, j.

iii. x and y are arrays.

```
Unknown2(x,y,i,j){
    if (i=0 or j=0) return 0;
        if c[I,j] != nil, return c[i,j];
        else if (x[i] == y[j]),
             set c[I,j] = 1 + Unknown2(x,y,i,j);
        else set c[i, j]=
           max(Unknown2(x,y,i-1,j),Unknown2(x,y,i
           ,j-1) );
    return c[i,j];
     }
```

8. (8%) Mark √ if the statement is true, and mark × otherwise, or give your comments.
   (a) *If λ is an eigenvalue of matrix A, then λ^m must be an eigenvalue of A^m.*
   (b) *Let X, Y be 1-dimensional vector subspaces of R^2 and $X \perp Y$, then $R^2 = X \oplus Y$.*
   (c) *The product of eigenvalues of A equals the product of diagonal elements of A.*
   (d) *Let A, B $\in R^{n\times n}$ be symmetric, then $(A + B)(A - B) = A^2 - B^2$.*

9. (12%) Choose the best solution for each of the following questions.
   ( )(a) *Let* u, v, w $\in R^n$ *be orthonormal vectors, then* $\|u - 2v + 2w\|_2 = ?$
   (1) 1, (2) 3, (3) 5, (4) 5n, (5) none.
   ( )(b)Let $A \in R^{n\times n}$ have eigenvalues 1,3,5, …, 2n-1. Then the trace of A is
   (1)n, (2)n^2, (3)n(n-1), (4)n(n+1), (5)none.
   ( )(c)Let $A \in R^{3\times 3}$ have $\lambda(A)=\{1,2,5\}$. *What is* $\lambda(A^{-1})$*?*
   (1){1,0.2, 0.5}, (2){-1,-2,-5}, (3){1,8,125}. (4){0,1,4}, (5) none.
   ( )(d) *Let* $x = [2,0,-2]^t, y = [0,2,-2]^t$, *then the angle between x and y,* $\angle(x, y)$ *is*
   (1)$\frac{\pi}{6}$, *(2)*$\frac{\pi}{2}$, *(3)*$\frac{\pi}{3}$,*(4)*$\frac{\pi}{8}$, *(5)none.*

10. (8%)Let X be a random variable having an *exponential* distribution with the variance
    $Var(X) = 9$, then the p.d.f. of X, fx(x)=?
    The moment-generating function Mx(t)=?

11. (12%)Suppose that 2000 points are independently and randomly selected from the unit square S = {(x, y):0 ≤ x, y ≤ 1}. Let Y equal the number of points that fall in A = {(x, y) : x2 + y2 ≤ 1}.
    (a) How is Y distributed?
    (b) Give the mean and variance of Y .
    (c) What is the expected value of Y /500?
    (d) What is P(Y ≤ 100)?

國立清華大學 105 學年度碩士班考試入學試題

系所班組別：生命科學院丙組

考試科目（代碼）：計算機概論(演算法與計算機數學)(0604)

12. (10%)Let $X_1, X_2,...,X_{30}$ be a random sample of size 30 from a Poisson distribution with a mean 2/3. Approximate by Central Limit Theorem (Hints: please refer to the following tables, $\sqrt{2} = 1.41421, \sqrt{3} = 1.73205, \sqrt{5} = 2.236068$)
    (a) $P(15 < \sum_{i=1}^{30} X_i \leq 22)$
    (b) $P(21 < \sum_{i=1}^{30} X_i \leq 27)$

This table gives a probability of numerical approximation for standard normal distribution.

Z	+0.00	+0.01	+0.02	+0.03	+0.04	+0.05	+0.06	+0.07	+0.08	+0.09
0.0	0.00000	0.00399	0.00798	0.01197	0.01595	0.01994	0.02392	0.02790	0.03188	0.03586
0.1	0.03980	0.04380	0.04776	0.05172	0.05567	0.05966	0.06360	0.06749	0.07142	0.07535
0.2	0.07930	0.08317	0.08706	0.09095	0.09483	0.09871	0.10257	0.10642	0.11026	0.11409
0.3	0.11791	0.12172	0.12552	0.12930	0.13307	0.13683	0.14058	0.14431	0.14803	0.15173
0.4	0.15542	0.15910	0.16276	0.16640	0.17003	0.17364	0.17724	0.18082	0.18439	0.18793
0.5	0.19146	0.19497	0.19847	0.20194	0.20540	0.20884	0.21226	0.21566	0.21904	0.22240
0.6	0.22575	0.22907	0.23237	0.23565	0.23891	0.24215	0.24537	0.24857	0.25175	0.25490
0.7	0.25804	0.26115	0.26424	0.26730	0.27035	0.27337	0.27637	0.27935	0.28230	0.28524
0.8	0.28814	0.29103	0.29389	0.29673	0.29955	0.30234	0.30511	0.30785	0.31057	0.31327
0.9	0.31594	0.31859	0.32121	0.32381	0.32639	0.32894	0.33147	0.33398	0.33646	0.33891
1.0	0.34134	0.34375	0.34614	0.34849	0.35083	0.35314	0.35543	0.35769	0.35993	0.36214
1.1	0.36433	0.36650	0.36864	0.37076	0.37286	0.37493	0.37698	0.37900	0.38100	0.38298
1.2	0.38493	0.38686	0.38877	0.39065	0.39251	0.39435	0.39617	0.39796	0.39973	0.40147
1.3	0.40320	0.40490	0.40658	0.40824	0.40988	0.41149	0.41308	0.41466	0.41621	0.41774
1.4	0.41924	0.42073	0.42220	0.42364	0.42507	0.42647	0.42785	0.42922	0.43056	0.43189
1.5	0.43319	0.43448	0.43574	0.43699	0.43822	0.43943	0.44062	0.44179	0.44295	0.44408
1.6	0.44520	0.44630	0.44738	0.44845	0.44950	0.45053	0.45154	0.45254	0.45352	0.45449
1.7	0.45543	0.45637	0.45728	0.45818	0.45907	0.45994	0.46080	0.46164	0.46246	0.46327
1.8	0.46407	0.46485	0.46562	0.46638	0.46712	0.46784	0.46856	0.46926	0.46995	0.47062
1.9	0.47128	0.47193	0.47257	0.47320	0.47381	0.47441	0.47500	0.47558	0.47615	0.47670
2.0	0.47725	0.47778	0.47831	0.47882	0.47932	0.47982	0.48030	0.48077	0.48124	0.48169
2.1	0.48214	0.48257	0.48300	0.48341	0.48382	0.48422	0.48461	0.48500	0.48537	0.48574
2.2	0.48610	0.48645	0.48679	0.48713	0.48745	0.48778	0.48809	0.48840	0.48870	0.48899
2.3	0.48928	0.48956	0.48983	0.49010	0.49036	0.49061	0.49086	0.49111	0.49134	0.49158
2.4	0.49180	0.49202	0.49224	0.49245	0.49266	0.49286	0.49305	0.49324	0.49343	0.49361
2.5	0.49379	0.49396	0.49413	0.49430	0.49446	0.49461	0.49477	0.49492	0.49506	0.49520
2.6	0.49534	0.49547	0.49560	0.49573	0.49585	0.49598	0.49609	0.49621	0.49632	0.49643
2.7	0.49653	0.49664	0.49674	0.49683	0.49693	0.49702	0.49711	0.49720	0.49728	0.49736
2.8	0.49744	0.49752	0.49760	0.49767	0.49774	0.49781	0.49788	0.49795	0.49801	0.49807
2.9	0.49813	0.49819	0.49825	0.49831	0.49836	0.49841	0.49846	0.49851	0.49856	0.49861
3.0	0.49865	0.49869	0.49874	0.49878	0.49882	0.49886	0.49889	0.49893	0.49896	0.49900

國立清華大學 105 學年度碩士班考試入學試題

系所班組別：生命科學院丙組

考試科目（代碼）：計算機概論(演算法與計算機數學)(0604)

　　*請在【答案卷】作答

This table gives a probability that a statistic is less than Z (i.e. between negative infinity and Z).

Z	+0.00	+0.01	+0.02	+0.03	+0.04	+0.05	+0.06	+0.07	+0.08	+0.09
0.0	0.50000	0.50399	0.50798	0.51197	0.51595	0.51994	0.52392	0.52790	0.53188	0.53586
0.1	0.53980	0.54380	0.54776	0.55172	0.55567	0.55966	0.56360	0.56749	0.57142	0.57535
0.2	0.57930	0.58317	0.58706	0.59095	0.59483	0.59871	0.60257	0.60642	0.61026	0.61409
0.3	0.61791	0.62172	0.62552	0.62930	0.63307	0.63683	0.64058	0.64431	0.64803	0.65173
0.4	0.65542	0.65910	0.66276	0.66640	0.67003	0.67364	0.67724	0.68082	0.68439	0.68793
0.5	0.69146	0.69497	0.69847	0.70194	0.70540	0.70884	0.71226	0.71566	0.71904	0.72240
0.6	0.72575	0.72907	0.73237	0.73565	0.73891	0.74215	0.74537	0.74857	0.75175	0.75490
0.7	0.75804	0.76115	0.76424	0.76730	0.77035	0.77337	0.77637	0.77935	0.78230	0.78524
0.8	0.78814	0.79103	0.79389	0.79673	0.79955	0.80234	0.80511	0.80785	0.81057	0.81327
0.9	0.81594	0.81859	0.82121	0.82381	0.82639	0.82894	0.83147	0.83398	0.83646	0.83891
1.0	0.84134	0.84375	0.84614	0.84849	0.85083	0.85314	0.85543	0.85769	0.85993	0.86214
1.1	0.86433	0.86650	0.86864	0.87076	0.87286	0.87493	0.87698	0.87900	0.88100	0.88298
1.2	0.88493	0.88686	0.88877	0.89065	0.89251	0.89435	0.89617	0.89796	0.89973	0.90147
1.3	0.90320	0.90490	0.90658	0.90824	0.90988	0.91149	0.91308	0.91466	0.91621	0.91774
1.4	0.91924	0.92073	0.92220	0.92364	0.92507	0.92647	0.92785	0.92922	0.93056	0.93189
1.5	0.93319	0.93448	0.93574	0.93699	0.93822	0.93943	0.94062	0.94179	0.94295	0.94408
1.6	0.94520	0.94630	0.94738	0.94845	0.94950	0.95053	0.95154	0.95254	0.95352	0.95449
1.7	0.95543	0.95637	0.95728	0.95818	0.95907	0.95994	0.96080	0.96164	0.96246	0.96327
1.8	0.96407	0.96485	0.96562	0.96638	0.96712	0.96784	0.96856	0.96926	0.96995	0.97062
1.9	0.97128	0.97193	0.97257	0.97320	0.97381	0.97441	0.97500	0.97558	0.97615	0.97670
2.0	0.97725	0.97778	0.97831	0.97882	0.97932	0.97982	0.98030	0.98077	0.98124	0.98169
2.1	0.98214	0.98257	0.98300	0.98341	0.98382	0.98422	0.98461	0.98500	0.98537	0.98574
2.2	0.98610	0.98645	0.98679	0.98713	0.98745	0.98778	0.98809	0.98840	0.98870	0.98899
2.3	0.98928	0.98956	0.98983	0.99010	0.99036	0.99061	0.99086	0.99111	0.99134	0.99158
2.4	0.99180	0.99202	0.99224	0.99245	0.99266	0.99286	0.99305	0.99324	0.99343	0.99361
2.5	0.99379	0.99396	0.99413	0.99430	0.99446	0.99461	0.99477	0.99492	0.99506	0.99520
2.6	0.99534	0.99547	0.99560	0.99573	0.99585	0.99598	0.99609	0.99621	0.99632	0.99643
2.7	0.99653	0.99664	0.99674	0.99683	0.99693	0.99702	0.99711	0.99720	0.99728	0.99736
2.8	0.99744	0.99752	0.99760	0.99767	0.99774	0.99781	0.99788	0.99795	0.99801	0.99807
2.9	0.99813	0.99819	0.99825	0.99831	0.99836	0.99841	0.99846	0.99851	0.99856	0.99861
3.0	0.99865	0.99869	0.99874	0.99878	0.99882	0.99886	0.99889	0.99893	0.99896	0.99900

This table gives a probability that a statistic is greater than Z.

Z	+0.00	+0.01	+0.02	+0.03	+0.04	+0.05	+0.06	+0.07	+0.08	+0.09
0.0	0.50000	0.49601	0.49202	0.48803	0.48405	0.48006	0.47608	0.47210	0.46812	0.46414
0.1	0.46020	0.45620	0.45224	0.44828	0.44433	0.44034	0.43640	0.43251	0.42858	0.42465
0.2	0.42070	0.41683	0.41294	0.40905	0.40517	0.40129	0.39743	0.39358	0.38974	0.38591
0.3	0.38209	0.37828	0.37448	0.37070	0.36693	0.36317	0.35942	0.35569	0.35197	0.34827
0.4	0.34458	0.34090	0.33724	0.33360	0.32997	0.32636	0.32276	0.31918	0.31561	0.31207
0.5	0.30854	0.30503	0.30153	0.29806	0.29460	0.29116	0.28774	0.28434	0.28096	0.27760
0.6	0.27425	0.27093	0.26763	0.26435	0.26109	0.25785	0.25463	0.25143	0.24825	0.24510
0.7	0.24196	0.23885	0.23576	0.23270	0.22965	0.22663	0.22363	0.22065	0.21770	0.21476
0.8	0.21186	0.20897	0.20611	0.20327	0.20045	0.19766	0.19489	0.19215	0.18943	0.18673
0.9	0.18406	0.18141	0.17879	0.17619	0.17361	0.17106	0.16853	0.16602	0.16354	0.16109
1.0	0.15866	0.15625	0.15386	0.15151	0.14917	0.14686	0.14457	0.14231	0.14007	0.13786
1.1	0.13567	0.13350	0.13136	0.12924	0.12714	0.12507	0.12302	0.12100	0.11900	0.11702
1.2	0.11507	0.11314	0.11123	0.10935	0.10749	0.10565	0.10383	0.10204	0.10027	0.09853
1.3	0.09680	0.09510	0.09342	0.09176	0.09012	0.08851	0.08692	0.08534	0.08379	0.08226
1.4	0.08076	0.07927	0.07780	0.07636	0.07493	0.07353	0.07215	0.07078	0.06944	0.06811
1.5	0.06681	0.06552	0.06426	0.06301	0.06178	0.06057	0.05938	0.05821	0.05705	0.05592
1.6	0.05480	0.05370	0.05262	0.05155	0.05050	0.04947	0.04846	0.04746	0.04648	0.04551
1.7	0.04457	0.04363	0.04272	0.04182	0.04093	0.04006	0.03920	0.03836	0.03754	0.03673
1.8	0.03593	0.03515	0.03438	0.03362	0.03288	0.03216	0.03144	0.03074	0.03005	0.02938
1.9	0.02872	0.02807	0.02743	0.02680	0.02619	0.02559	0.02500	0.02442	0.02385	0.02330
2.0	0.02275	0.02222	0.02169	0.02118	0.02068	0.02018	0.01970	0.01923	0.01876	0.01831
2.1	0.01786	0.01743	0.01700	0.01659	0.01618	0.01578	0.01539	0.01500	0.01463	0.01426
2.2	0.01390	0.01355	0.01321	0.01287	0.01255	0.01222	0.01191	0.01160	0.01130	0.01101
2.3	0.01072	0.01044	0.01017	0.00990	0.00964	0.00939	0.00914	0.00889	0.00866	0.00842
2.4	0.00820	0.00798	0.00776	0.00755	0.00734	0.00714	0.00695	0.00676	0.00657	0.00639
2.5	0.00621	0.00604	0.00587	0.00570	0.00554	0.00539	0.00523	0.00508	0.00494	0.00480
2.6	0.00466	0.00453	0.00440	0.00427	0.00415	0.00402	0.00391	0.00379	0.00368	0.00357
2.7	0.00347	0.00336	0.00326	0.00317	0.00307	0.00298	0.00289	0.00280	0.00272	0.00264
2.8	0.00256	0.00248	0.00240	0.00233	0.00226	0.00219	0.00212	0.00205	0.00199	0.00193
2.9	0.00187	0.00181	0.00175	0.00169	0.00164	0.00159	0.00154	0.00149	0.00144	0.00139
3.0	0.00135	0.00131	0.00126	0.00122	0.00118	0.00114	0.00111	0.00107	0.00104	0.00100