## 國 立 清 華 大 學 命 題 紙

## 九十一學年度 <u>數 學 系 (所) 統 粹 數 學 組 碩士班研究生招生考試</u> 科目 高 等 積 幾 分 科號 0101 共 2 頁第 / 頁 \*請在試卷【答案卷】內作答

1. (15 points) Evaluate the integral

$$\int_0^\infty e^{-7x^2} dx.$$

2. (15 points) Let  $f: \mathbb{R}^n \to \mathbb{R}$  be a  $C^1$  function. Suppose that

$$x \cdot \nabla f(x) = kf(x).$$

Prove that

$$f(\lambda x) = \lambda^k f(x)$$
 for each  $x \in \mathbb{R}^n$  and  $\lambda > 0$ .

3. (15 points) How many real numbers x satisfy

$$x + 1 = 4\arctan(x)$$
?

4. (15 points) Let  $\{f_n\}$  be a sequence of continuously differentiable functions on [a,b] such that  $f_n(a)=f_n(b)=0$  and

$$\int_a^b |f_n'(x)|^2 dx \le M$$

for some fixed constant M. Prove that  $\{f_n\}$  contains a subsequence that converges uniformly on [a,b].

- 5. (15 points)
  - (a) Let f be a continuous function from [0,1] onto [0,1], show that there exists a point  $x_0 \in [0,1]$  such that  $f(x_0) = x_0$ .
  - (b) If g is a continuous function from (0,1) onto (0,1), can there always exists a fixed point in (0,1) for g? Justify your answer.

## 國 立 淸 華 大 學 命 題 紙

## 九十一學年度 <u>數 學</u> 系(所) <u>純粹數學組</u>碩士班研究生招生考試 科目<u>高等積幾分科號 0101</u> 共 <u>2</u> 頁第 <u>2</u> 頁 <u>\*請在試卷【答案卷】內作答</u>

6. (15 points) Define

$$f(x,y) = \begin{cases} \frac{x^3 - xy^2}{x^2 + y^2} & (x,y) \neq (0,0), \\ 0 & (x,y) = (0,0). \end{cases}$$

- (a) Show that f is continuous at (0,0).
- (b) Show that f has directional derivatives in all directions at (0,0).
- (c) Show that f is not differentiable at (0,0).
- 7. (15 points) Suppose f is defined in  $S = [0,1] \times [0,1]$  by the formula

$$f(x,y) = \begin{cases} 1 & \text{if } x \text{ is irrational,} \\ 3y^2 & \text{if } x \text{ is rational.} \end{cases}$$

- (a) Show that  $\int_0^1 (\int_0^1 f(x,y)dy)dx$  exists and has the value 1.
- (b) Show that \( \int \int\_S f(x, y) dA \) does not exist.
- 8. (15 points) Check whether the following sets E in R<sup>2</sup> are compact or not. If E is not compact, find the smallest compact set K such that E ⊂ K. Justify your answers!
  - (a)  $E = \{(x, y) : y = \sin(\frac{1}{x}), x \in (0, 1]\}.$
  - (b)  $E = \{(x,y) : x \in [0,1] \text{ and } y = 1 \text{ if } x \text{ is rational, } y = 0 \text{ if } x \text{ is irrational}\}.$